	Hits	Search Text
1	1	"6,285,985".pn.
2	1	"6,285,985".pn. and (count number predetermin\$7 impress\$7 exposur\$6 bonus extra)
3	1	"6,285,985".pn. and (count number predetermin\$7 impress\$7 exposur\$6 bonus extra minim\$7)
4	4	("5933811" "5724521" "5848396" "6,285,985").pn. and (count number predetermin\$7 impress\$7 exposur\$6 bonus extra minim\$7 addition\$6)
5	729	705/14.ccls. and (count number predetermin\$7 impress\$7 exposur\$6 bonus extra minim\$7 addition\$6)
6	291	705/14.ccls. and (count number predetermin\$7 impress\$7 exposur\$6 bonus extra minim\$7 addition\$6) with (success respons\$5)
7	12	705/14.ccls. and (count number predetermin\$7 impress\$7 exposur\$6) with (bonus extra addition\$6) with (success respons\$5) with (ad advertis\$7)
8	4	705/14.ccls. and (count number predetermin\$7 impress\$7 exposur\$6) with (bonus more extra addition\$6) with (success respons\$5) with (ad advertis\$7) not S7

DD =
DBs
USPAT

	Hits	Search Text
9	48	(count number predetermin\$7 impress\$7 exposur\$6) with (bonus more extra addition\$6) with (success respons\$5) with (ad advertis\$7) not S7
10	44	(count number predetermin\$7 impress\$7 exposur\$6) with (bonus more extra addition\$6) with (success respons\$5) with (ad advertis\$7) not \$7 not \$8
11	26	advertis\$7.bsum. and ((count number predetermin\$7 impress\$7 exposur\$6) with (bonus more extra addition\$6) with (success respons\$5) with (ad advertis\$7) not S7 not S8)
12	26	S11 and ((count number predetermin\$7 impress\$7 exposur\$6) with (bonus more extra addition\$6) with (success respons\$5) with (ad advertis\$7) not S7 not S8)
13	44	((count number predetermin\$7 impress\$7 exposur\$6) with (bonus more extra addition\$6) with (success respons\$5) with (ad advertis\$7) not S7 not S8)

	DBs
9	USPAT
10	USPAT
11	USPAT
12	USPAT
13	USPAT

	Hits	Search Text
14	32	705/14.ccls. and ((count number amount minim\$7 predetermin\$7) with (ad advertis\$7 exposure\$5 impression\$5)) same ((bonus more extra increas\$5 additional) with (success respons\$5) with (ad advertis\$7 exposure\$5 impression\$5))
15	65	705/14.ccls. and ((count number predetermin\$7) with (ad advertis\$7 exposure\$5 hit impression\$5)) and ((bonus more extra increas\$5 additional) with (success\$7 respons\$5) with (ad advertis\$7 exposure\$5 impression\$5))
16	14	705/14.ccls. and ((count number predetermin\$7) with (ad advertis\$7 exposure\$5 hit impression\$5)) same ((bonus more extra increas\$5 additional) with (success\$7 respons\$5) with (ad advertis\$7 exposure\$5 impression\$5))

	DBs
14	USPAT
15	USPAT
16	USPAT

	Hits	Search Text
17		705/14.ccls. and ((count
	65	number predetermin\$7) with (ad advertis\$7 exposure\$5 hit impression\$5)) and ((bonus more extra increas\$5
		<pre>additional) with (success\$7 respons\$5) with (ad advertis\$7 exposure\$5 impression\$5))</pre>
18	1	"5848396".pn. and success\$7
19	6	("5933811" "5848396" "6477575" "6757661" "6654725" "6735572").pn. and (success\$7 number)
20	6	("5933811" "5848396" "6477575" "6757661" "6654725" "6735572").pn. and (success\$7 number good)
21	6	("5933811" "5848396" "6477575" "6757661" "6654725" "6735572").pn. and (success\$7 number good additional bonus extra more increas\$6)
22	121	(ad advertis\$7) with (success\$7) with (bonus extra more increas\$7 additional)
23	17	(ad advertis\$7) with (success\$7) with (bonus extra more increas\$7 additional) and 705/14.ccls.
24	31	(ad advertis\$7) with (success\$7) with (bonus extra more increas\$7 additional) and "705"/.ccls.

	DBs
17	USPAT
18	USPAT
19	USPAT
20	USPAT
21	USPAT
22	USPAT
23	USPAT
24	USPAT

	Hits	Search Text
25	14	(ad advertis\$7) with (success\$7) with (bonus extra more increas\$7 additional) and "705"/.ccls. not S23
26	90	(ad advertis\$7) with (success\$7) with (bonus extra more increas\$7 additional) not S23 not S25
27	28	((ad advertis\$7) with (success\$7) with (bonus extra more increas\$7 additional) not S23 not S25) and (ad advertis\$7).ab.
28	8	((ad ads advertis\$7) with (respons\$7 success\$7) with (bonus extra more increas\$7 additional) with (number times)) and 705/14.ccls.
29	16	((ad ads advertis\$7) with (respons\$7 success\$7) with (bonus extra more increas\$7 additional) with (number times)) and "705"/.ccls.
30	60	((ad ads advertis\$7) with (respons\$7 success\$7) with (bonus extra more increas\$7 additional) with (number times))
31	2	(adjust\$5 with number with (advertis\$7)) and 705/14.ccls.
32	2	(adjust\$5 with number with (advertis\$7)) and 705/14.ccls.

	DBs
25	USPAT
26	USPAT
27	USPAT
28	USPAT
29	USPAT
30	USPAT
31	USPAT
32	USPAT

	Hits	Search Text
33		((increas\$7 add additional
		more bonus extra adjust\$5)
	60	with (times number) with
		(advertis\$7)) and
		705/14.ccls.
		((increas\$7 add adds
		additional more bonus extra
34	60	adjust\$5) with (times number)
		with (advertis\$7)) and
		705/14.ccls.
35	1	"6601041".pn. and (success\$7
	_	good number\$3 times)
36	1	"6601041".pn. and (success\$7
		good number\$3 times)
		number with (exposure hit
37	153	impression) with (ad
		advertis\$6)
		((number times) with
		(exposure\$3 hit hits
		display\$6 shown\$6 present\$6
		view\$7 impression
38	1427	impressions) with (ad
		advertis\$6)) with ((more
		adjust bonus increas\$6 extra
		additional chang\$6) (number
		times))
		((number times) with
	966	(exposure\$3 hit hits
		display\$6 shown\$6 present\$6
		view\$7 impression
39		impressions) with (ad ads
		advertis\$6)) and ((more
		adjust bonus increas\$6 extra
		additional chang\$6) with
		(number times))

	DBs
33	USPAT
34	USPAT
35	USPAT
36	USPAT
37	USPAT
38	USPAT
39	USPAT

	Hits	Search Text
40	176	(((number times) with (exposure\$3 hit hits display\$6 shown\$6 present\$6 view\$7 impression impressions) with (ad ads advertis\$6)) and ((more adjust bonus increas\$6 extra additional chang\$6) with (number times))) and "705"/.ccls.
41	95	(((number times) with (exposure\$3 hit hits display\$6 shown\$6 present\$6 view\$7 impression impressions) with (ad ads advertis\$7)) and ((more adjust bonus increas\$6 extra additional chang\$6) with (number times))) and 705/14.ccls.
42	15	(ad advertis\$7) with success\$7 with (again)
43	115	(ad ads advertis\$7) with (good success\$7) with (number times)
44	10	((ad ads advertis\$7) with (good success\$7) with (number times)) and 705/14.ccls.
45	6	((ad ads advertis\$7) with (success successful) with (number times)) and 705/14.ccls.

	DBs
40	USPAT
41	USPAT
42	USPAT
43	USPAT
44	USPAT
45	USPAT

	Hits	Search Text
46		((ad ads advertis\$7) with
	4	(success successful) with
		(number times)) and
		"705"/.ccls. not S45
		((ad ads advertis\$7) with
47	30	(success successful) with
		(number times)) not S45
48	1	"6757661".pn.
		((ad adverti?\$7) with
		(success\$7) with (bonus
49	58	additional extra free)) and
		(@ad<"20010430"
		@rlad<"20010430")
		((ad adverti?\$7) with
- 0	0.4	(success\$7) with (bonus extra
50	24	free)) and (@ad<"20010430"
		@rlad<"20010430")
		((ad adverti?\$7) with
	34	(success\$7) with (bonus
51		additional extra free)) and
		(@ad<"20010430"
		@rlad<"20010430") not S49
	122	((ad adverti?\$7) with
52		(success\$7) with (more)) and
<i>32</i>		(@ad<"20010430"
		@rlad<"20010430") not S49
		((ad adverti?\$7) with
	20	(success\$7) with (display\$5
53		show\$7 present\$6) with
		(more)) and (@ad<"20010430"
		@rlad<"20010430") not S49

	DBs
46	USPAT
47	USPAT
48	USPAT
49	US-PGPUB; USPAT; EPO
50	US-PGPUB; USPAT; EPO
51	US-PGPUB; USPAT; EPO
52	US-PGPUB; USPAT; EPO
53	US-PGPUB; USPAT; EPO

	Hits	Search Text
54	0	((ad adverti?\$7) with (success\$7) with (display\$5 show\$7 present\$6) with (more)) and (@ad<"20010430" @rlad<"20010430")
55	0	((ad adverti?\$7) with (success\$7) with (display\$5 show\$7 present\$6) with (more))
56	1031	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (cost pric\$5 charg\$6 expens\$6 fee) with (adjust\$5 vary\$5 variabl\$5 dynamic\$6 chang\$6 increas\$6 decreas\$6))
57	760	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (cost pric\$5 charg\$6 expens\$6 fee) with (adjust\$5 vary\$5 variabl\$5 dynamic\$6 chang\$6 increas\$6 decreas\$6)) and (adverti?\$6).bsum.
58	340	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (cost pric\$5 charg\$6 expens\$6 fee) near2 (adjust\$5 vary\$5 variabl\$5 dynamic\$6 chang\$6 increas\$6 decreas\$6)) and (adverti?\$6).bsum.

	DBs
54	DERWENT
55	DERWENT
56	US-PGPUB; USPAT; EPO
ל ל	US-PGPUB; USPAT; EPO
58	US-PGPUB; USPAT; EPO

	Hits	Search Text
59	340	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with ((cost pric\$5 charg\$6 expens\$6 fee) near2 (adjust\$5 vary\$5 variabl\$5 dynamic\$6 chang\$6 increas\$6 decreas\$6))) and (adverti?\$6).bsum.
60	16	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with ((cost pric\$5 charg\$6 expens\$6 fee) near2 (adjust\$5 vary\$5 variabl\$5 dynamic\$6 chang\$6 increas\$6 decreas\$6)) with (respons\$5 success\$5)) and (adverti?\$6).bsum.
61	1	"5,136,501".pn.
62	33	adverti?\$6 with cpa
63	14	(adverti?\$6 with cpa) and (@ad<"20010430" @rlad<"20010430")
64	1	"20020053076".pn.
65	1	"20020053076".pn. and (fee pric\$6 cost charg\$6)
66	1	"6904408".pn. and (fee pric\$6 cost charg\$6)

	DBs
59	US-PGPUB; USPAT; EPO
60	US-PGPUB; USPAT; EPO
1 6 L	US-PGPUB; USPAT; EPO
62	US-PGPUB; USPAT; EPO
0.5	US-PGPUB; USPAT; EPO
154 I	US-PGPUB; USPAT; EPO
ו כמו	US-PGPUB; USPAT; EPO
וחחו	US-PGPUB; USPAT; EPO

	Hits	Search Text
67	8	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with ((rate\$5 rating\$5) near2 (adjust\$5 vary\$5 variabl\$5 dynamic\$6 chang\$6 increas\$6 decreas\$6)) with (respons\$5 success\$5)) and (adverti?\$6).bsum.
68	101	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (free bonus extra) with (respons\$5 success\$5)) and (adverti?\$6).bsum.
69	247	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (respons\$5 successf\$6) with (pric\$5 bonus cost charg\$5 fee))
70	98	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (respons\$5 success successf\$6) with (pric\$5 bonus cost charg\$5 fee)) and (adverti?\$6.ti.adverti?\$6.ab.)
71	87	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (perform\$6) with (pric\$5 bonus cost charg\$5 fee)) and (adverti?\$6.ti. adverti?\$6.ab.)

	DBs
67	US-PGPUB; USPAT; EPO
68	US-PGPUB; USPAT; EPO
69	US-PGPUB; USPAT; EPO
70	US-PGPUB; USPAT; EPO
71	US-PGPUB; USPAT; EPO

	Hits	Search Text
72	93	(@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (structur\$5 tier\$6 schem\$7) with (pric\$5 bonus cost charg\$5 fee)) and (adverti?\$6.ti.
73	85	adverti?\$6.ab.) (@ad<"20010430" @rlad<"20010430") and ((ad adverti?\$7) with (structur\$5 tier\$6 scheme schemes) with (pric\$5 bonus cost charg\$5 fee)) and (adverti?\$6.ti.adverti?\$6.ab.)
74	6	(@ad<"20010430" @rlad<"20010430") and ((Cost- per-action cpa cost-per-click cpc) with (ad adverti?\$6 impression) with (perform\$6 success\$6))
75	3	(@ad<"20010430" @rlad<"20010430") and valueclick
76	8	(@ad<"20010430" @rlad<"20010430") and ((Cost- per-action cpa cost-per-click cpc "cost per click" "cost per action") with (ad adverti?\$6 impression) with (perform\$6 success\$6))

	DBs
72	US-PGPUB; USPAT; EPO
73	US-PGPUB; USPAT; EPO
74	US-PGPUB; USPAT; EPO
75	US-PGPUB; USPAT; EPO
/ b	US-PGPUB; USPAT; EPO

	Hits	Search Text
77	2	(@ad<"20010430" @rlad<"20010430") and ((Cost- per-action cpa cost-per-click cpc "cost per click" "cost per action") with (ad adverti?\$6 impression) with (structur\$6 tier scheme))
78	15	(@ad<"20010430" @rlad<"20010430") and ((Cost- per-action cost-per-click "cost per click" "cost per action") with (ad adverti?\$6 impression)) and ((ad adverti?\$6) with (cost fee charg\$6 pric\$6) with (structur\$6 tier scheme perform\$6 success\$6))
79	14	(@ad<"20010430" @rlad<"20010430") and ((Cost- per-action cost-per-click "cost per click" "cost per action" cpa cpc ppc ppa (price adj per adj click) (price adj per adj action)) with (ad adverti?\$6 impression) with (rate\$5 rating success\$5 perform\$6))
80	40	(@ad<"20010430" @rlad<"20010430") and ((dynamic\$5) with adverti?\$6 with (pric\$5 fee cost\$5 charg\$5))

	DBs
77	US-PGPUB; USPAT; EPO
78	US-PGPUB; USPAT; EPO
79	US-PGPUB; USPAT; EPO
80	US-PGPUB; USPAT; EPO

	Hits	Search Text
81	334	(@ad<"20010430" @rlad<"20010430") and ((rate) with adverti?\$6 with (pric\$5 fee cost\$5 charg\$5))
82	97	(@ad<"20010430" @rlad<"20010430") and (((rate) with (ad impression adverti?\$6) with (pric\$5 fee cost\$5 charg\$5))) and ("adverti?\$6.ab" adverti?\$6.ti.)
83	178	(@ad<"20010430" @rlad<"20010430") and (((rate)) with (ad impression adverti?\$6) with (pric\$5 fee cost\$5 charg\$5))) and (adverti?\$6.ab. adverti?\$6.ti.)
84	334	(@ad<"20010430" @rlad<"20010430") and ((ad impression adverti?\$6) with (tier structur\$6 scheme) with (success\$6 rate perform\$6))
85	126	(@ad<"20010430" @rlad<"20010430") and (((ad with impression) adverti?\$6) with (tier structur\$6 scheme) with (success\$6 rate perform\$6))

	DBs
81	US-PGPUB; USPAT; EPO
82	US-PGPUB; USPAT; EPO
83	US-PGPUB; USPAT; EPO
84	US-PGPUB; USPAT; EPO
ואה	US-PGPUB; USPAT; EPO

	Hits	Search Text
		(@ad<"20010430"
		@rlad<"20010430") and (((ad
		with impression) adverti?\$6)
86	23	with (cost fee pric\$6
		charg\$6) with (tier
		structur\$6 scheme) with
		(success\$6 rate perform\$6))
87	2	"rate card" with adverti?\$6
		((click near3 (percent\$5
88	46	rate)) with (pric\$6 cost fee
		charg\$6) with adverti?\$6)
		((click near3 (percent\$5
89	3	rate)) with (pric\$6 cost fee
		charg\$6) with adverti?\$6)
		((click near3 (percent\$5
		rate)) with (pric\$6 cost fee
90	15	charg\$6) with adverti?\$6) and
		(@ad<"20010430"
		@rlad<"20010430")
		((click near3 (percent\$5
	22	rate)) with (pric\$6 cost fee
91		charg\$6) with (ad adverti?\$6
		impression)) and
		(@ad<"20010430" @rlad<"20010430")
		((click near3 (percent\$5
		rate)) with (pric\$6 cost fee
92	0	charg\$6) with (ad adverti?\$6
		impression))
0.0		
93	20	(click adj2 percentage)
	16	(click adj2 percentage) and
94		(@ad<"20010430"
		@rlad<"20010430")

	DBs
86	US-PGPUB; USPAT; EPO
87	USPAT
88	US-PGPUB; USPAT; EPO
89	USPAT
	US-PGPUB; USPAT; EPO; JPO; DERWENT
1	US-PGPUB; USPAT; EPO; JPO; DERWENT
92	JPO
19.3	US-PGPUB; USPAT; EPO
194	US-PGPUB; USPAT; EPO

	Hits	Search Text
95	4	(click adj2 percentage) not S94
96	221	(click adj2 rate) and (@ad<"20010430" @rlad<"20010430")
97	49	((click adj2 rate) same (pric\$6 cost\$6 fee charg\$6)) and (@ad<"20010430" @rlad<"20010430")
98	54	ctr same adverti?\$6
99	14	ctr same adverti?\$6 and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
100	1	"6832207" .pn.
101	1	"6832207".pn.
102	1	"6269361".pn.
103	113	((scal\$6 progress\$6 struct\$6 tier\$6 var\$6 varia\$6 dynamic\$6) with (cost pric\$5)) and (ctr ctp cpa cpm cpc) and adverti?\$6.bsum. and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")

	DBs
95	US-PGPUB; USPAT; EPO
96	US-PGPUB; USPAT; EPO
97	US-PGPUB; USPAT; EPO
98	US-PGPUB; USPAT; EPO; JPO
99	US-PGPUB; USPAT; EPO; JPO
100	US-PGPUB; USPAT; EPO; JPO
101	US-PGPUB; USPAT; EPO; JPO
102	US-PGPUB; USPAT; EPO; JPO
103	US-PGPUB; USPAT; EPO; JPO

	Hits	Search Text
		((scal\$6 progress\$6 struct\$6
104	19	tier\$6 var\$6 varia\$6 dynamic\$6) with (cost fee\$5)) and (ctr ctp cpa cpm cpc) and (adverti?\$6.ab. adverti?\$6.ti.) and (@pd<"20010430" @ad<"20010430"
		@rlad<"20010430")
105	31	((scal\$6 progress\$6 struct\$6 tier\$6 var\$6 varia\$6 dynamic\$6) with (cost fee\$5 rate)) and (ctr ctp cpa cpm cpc) and (adverti?\$6.ab. adverti?\$6.ti.) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
106	66	((effectiv\$6 success\$6 prove\$6) with (adverti?\$6 banner) with (free bonus extra)) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
107	91	((effectiv\$6 success\$6 prove\$6) with (adverti?\$6 banner) with (additional)) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
108	582	((effectiv\$6 success\$6 prove\$6) with (adverti?\$6 banner) with (cost)) and (@pd<"20010430" @ad<"20010430")

	DBs
104	US-PGPUB; USPAT; EPO; JPO
105	US-PGPUB; USPAT; EPO; JPO
106	US-PGPUB; USPAT; EPO; JPO
107	US-PGPUB; USPAT; EPO; JPO
108	US-PGPUB; USPAT; EPO; JPO

	Hits	Search Text
109	86	((effectiv\$6 success\$6 prove\$6) with (adverti?\$6 banner) with (adjust\$5 decreas\$5 low\$5 discount\$5) with (charg\$5 fee cost)) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
110	1	JP2000122640
111	189447	((effectiv\$6 success\$6 prove\$6) with (adverti?\$6 banner) with better (pric\$5)) and (@pd<"20010430" @ad<"20010430"
112	6	((effectiv\$6 success\$6 prove\$6) with (adverti?\$6 banner) with better with (pric\$5)) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
113	5	((effectiv\$6 success\$6 prove\$6) with (adverti?\$6 banner) with (cheaper better) with (cost charge fee rate)) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
114	3	("20020099600" "20030149937" "6904408").pn.

	DBs
109	US-PGPUB; USPAT; EPO; JPO
110	US-PGPUB; USPAT; EPO; JPO; DERWENT
111	US-PGPUB; USPAT; EPO; JPO
112	US-PGPUB; USPAT; EPO; JPO
113	US-PGPUB; USPAT; EPO; JPO
114	US-PGPUB; USPAT; EPO; JPO

	Hits	Search Text
115		("20020099600" "20030149937"
	3	"6904408").pn. and (ppc cost
		fee charg\$5 pric\$5 rat\$5)
		("20020099600" "20030149937"
116	3	"6904408").pn. and (ppc cost
110	3	fee charg\$5 pric\$5 rat\$5
		expens\$5)
		(discount\$4 near2 adverti?\$6
		near2 (cost\$6 fee charg\$6
117	28	rate)) and (@pd<"20010430"
		@ad<"20010430"
		@rlad<"20010430")
		(discount\$4 near2 (banner
		adverti?\$6) near2 (cost\$6 fee
118	29	charg\$6 rate)) and
	2)	(@pd<"20010430"
		@ad<"20010430"
		@rlad<"20010430")
		(discount\$4 near2 (banner
		adverti?\$6) near2 (cost\$6 fee
119	25	charg\$6 rate)) and
		(@pd<"20010430"
		@ad<"20010430"
		@rlad<"20010430")
	127	((banner adverti?\$6) near2
		(cost\$6 fee charg\$6 rate) near2 (adjust\$5 tier\$5
		dynamic\$5 lower less cheap\$5
120		discount\$5)) and
		(@pd<"20010430"
		@ad<"20010430"
		@rlad<"20010430")
121	1	"6636237".pn.
	<u> </u>	
122	2	("20030149937"
		"20020087402").pn.

	DBs
115	US-PGPUB; USPAT; EPO; JPO
116	US-PGPUB; USPAT; EPO; JPO
117	US-PGPUB; USPAT; EPO; JPO
118	US-PGPUB; USPAT; EPO; JPO
119	US-PGPUB; USPAT; EPO
120	US-PGPUB; USPAT; EPO
$\mathbf{L} \mathbf{Z} \mathbf{L}$	US-PGPUB; USPAT; EPO
	US-PGPUB; USPAT

	Hits	Search Text
123	1	"20040104926".pn.
124	150	(bonus free extra) adj (adverti?\$6 banner)
125	95	(bonus free extra) adj (adverti?\$6 banner) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430")
126	62	(bonus free extra) adj (adverti?\$6 banner) and (@pd<"20010430" @ad<"20010430" @rlad<"20010430") and (internet web\$6)
127	62	S126 and (bonus free extra) adj (adverti?\$6 banner)
128	68	(@ad<"20010430" @pd<"20010430" @rlad<"20010430") and (extra bonus free) near impressio\$6
129	1	(@ad<"20010430" @pd<"20010430" @rlad<"20010430") and ((extra bonus free) near2 impressio\$6) and adverti?\$6.bsum.
130	558	(@ad<"20010430" @pd<"20010430" @rlad<"20010430") and ((extra bonus free) near2 adverti?\$6)

	DBs
123	US-PGPUB; USPAT
124	US-PGPUB; USPAT; EPO
125	US-PGPUB; USPAT; EPO
126	US-PGPUB; USPAT; EPO
127	US-PGPUB; USPAT; EPO
128	US-PGPUB; USPAT; EPO
	US-PGPUB; USPAT; EPO
130	US-PGPUB; USPAT; EPO

	Hits	Search Text
131		(@ad<"20010430"
		@pd<"20010430"
	213	@rlad<"20010430") and
		((extra bonus free) near
		adverti?\$6)
		(@ad<"20010430"
4		@pd<"20010430"
132	48	@rlad<"20010430") and
	:	((extra bonus) near
		adverti?\$6)
		(@ad<"20010430"
		@pd<"20010430"
133	1	@rlad<"20010430") and
		((without near charg\$6) near
		adverti?\$6)
		(@ad<"20010430"
134	167	@pd<"20010430"
	107	@rlad<"20010430") and ((free
) near adverti?\$6)
	85	(@ad<"20010430"
135		@pd<"20010430"
		@rlad<"20010430") and ((free
) adj adverti?\$6)
		(@ad<"20010430"
136		@pd<"20010430"
	56	@rlad<"20010430") and ((ad
		adverti?\$6) near2 (success\$6
		perform\$6)) with (additiona\$6
		extra bonus free (without
		near2 charg\$6))
<u></u>		

	DBs
131	US-PGPUB; USPAT; EPO
132	US-PGPUB; USPAT; EPO
133	US-PGPUB; USPAT; EPO
11.54	US-PGPUB; USPAT; EPO
11.55	US-PGPUB; USPAT; EPO
	US-PGPUB; USPAT; EPO

	Hits	Search Text
137	57	(@ad<"20010430" @pd<"20010430" @rlad<"20010430") and ((ad adverti?\$6) near2 (success\$6 perform\$6)) with (additiona\$6 extra bonus free (without near2 charg\$6))
138	4	("6285985" "5848396" "20030149937" "20020087402").pn.
139	2	("6285985" "5848396" "20030149937" "20020087402").pn. and rank\$6
140	11	("6285985" "5848396" "20030149937" "20020087402" "20020099600" "6,904,408" "20020120506" "6,782,375" "20020133399" "20040104926" "6,324,519").pn.
141	10	("6285985" "5848396" "20030149937" "20020087402" "20020099600" "6,904,408" "20020120506" "6,782,375" "20020133399" "20040104926" "6,324,519").pn. and set\$7
142		("6285985" "5848396" "20030149937" "20020087402" "20020099600" "6,904,408" "20020120506" "6,782,375" "20020133399" "20040104926" "6,324,519").pn. and differ\$6 with pric\$6

	DBs
137	US-PGPUB; USPAT; EPO; JPO
138	US-PGPUB; USPAT; EPO; JPO
139	US-PGPUB; USPAT; EPO; JPO
140	US-PGPUB; USPAT; EPO; JPO
141	US-PGPUB; USPAT; EPO; JPO
142	US-PGPUB; USPAT; EPO; JPO

	Hits	Search Text
		("6285985" "5848396"
		"20030149937" "20020087402"
		"20020099600" "6,904,408"
143	4	"20020120506" "6,782,375"
		"20020133399" "20040104926"
i		"6,324,519").pn. and adjust\$6
		with adverti\$7
		("6285985" "5848396"
		"20030149937" "20020087402"
		"20020099600" "6,904,408"
		"20020120506" "6,782,375"
		"20020133399" "20040104926"
144	11	"6,324,519").pn. and (tier\$5
		renew\$6 repl\$7 rank\$6 rat\$7
		success\$6 extra bonus free
		cost pric\$6 charg\$6 surplus\$5
		perform\$6 zero click\$6
		impress\$6)
145	3	("6470079" "6654725"
		"6286005").pn.
		("6470079" "6654725"
146	3	"6286005").pn. and (cost\$6
		rat\$6 charg\$6 pric\$6 tier\$6)
		(@ad<"20010430"
	0	@pd<"20010430"
147		@rlad<"20010430").pn. and (
		cpm cpc) near (adjust\$6
		reduc\$6 lower\$6 chang\$6
		modify\$6 modifi\$6)
		(@ad<"20010430"
		@pd<"20010430"
148	0	@rlad<"20010430").pn. and (
		cpm cpc) near2 (adjust\$6
		reduc\$6 lower\$6 chang\$6
		modify\$6 modifi\$6)

	DBs
143	US-PGPUB; USPAT; EPO; JPO
144	US-PGPUB; USPAT; EPO; JPO
145	USPAT
146	USPAT
147	US-PGPUB; USPAT; EPO; JPO
148	US-PGPUB; USPAT; EPO; JPO

	Hits	Search Text
		(@ad<"20010430"
149		@pd<"20010430"
		@rlad<"20010430").pn. and (
	0	cpm cpc) with (adjust\$6
		reduc\$6 lower\$6 chang\$6
		modify\$6 modifi\$6)
		(@ad<"20010430"
		@pd<"20010430"
		@rlad<"20010430") and (cpm
150	411	cpc) near2 (adjust\$6 reduc\$6
		lower\$6 chang\$6 modify\$6
		modifi\$6)
		(@ad<"20010430"
		@pd<"20010430"
1 - 1	٥٥٦	@rlad<"20010430") and (cpm
151	205	cpc) near (adjust\$6 reduc\$6
		lower\$6 chang\$6 modify\$6
		modifi\$6)
		(@ad<"20010430"
	1	@pd<"20010430"
		@rlad<"20010430") and ((cpm
152	73	cpc) near (adjust\$6 reduc\$6
152		readjust\$6 lower\$6 chang\$6
		modify\$6 modifi\$6) same
		(succes\$6 perform\$6
	:	result\$6))
		(@ad<"20010430"
	73	@pd<"20010430"
		@rlad<"20010430") and ((cpm
153		cpc) near (adjust\$6 adapt\$6
		reduc\$6 readjust\$6 lower\$6
		chang\$6 modify\$6 modifi\$6)
		same (succes\$6 perform\$6
L		result\$6))

	DBs
149	US-PGPUB; USPAT; EPO; JPO
150	US-PGPUB; USPAT; EPO; JPO
151	US-PGPUB; USPAT; EPO; JPO
152	US-PGPUB; USPAT; EPO; JPO
153	US-PGPUB; USPAT; EPO; JPO

	Hits	Search Text
154	158	(@ad<"20010430" @pd<"20010430" @rlad<"20010430") and (adverti?\$6.ab. adverti?\$6.ti.) and ((rate cost\$6 charg\$6 pric\$6) near (adjust\$6 adapt\$6 reduc\$6 readjust\$6 dynami\$6 lower\$6 chang\$6 modify\$6 modifi\$6) same (succes\$6 perform\$6 result\$6))
155	1	"20010056369".pn.
156	1	"20010056369".pn. and (rate\$6 success\$6 perform\$6 effect\$6 cost\$6 pric\$6 charg\$6 expens\$6 fee bill\$6)
157	1	"20010056369".pn. and (rate\$6 success\$6 perform\$6 effect\$6 effectiv\$6 cost\$6 pric\$6 charg\$6 expens\$6 fee bill\$6)
158	1	"20010056369".pn. and (rate\$6 success\$6 perform\$6 effect\$6 effectiv\$6 cost\$6 pric\$6 charg\$6 expens\$6 fee bill\$6 discou\$7)

	DBs
154	US-PGPUB; USPAT; EPO; JPO
155	US-PGPUB; USPAT; EPO; JPO
1 5 5	US-PGPUB; USPAT; EPO; JPO
157	US-PGPUB; USPAT; EPO; JPO
158	US-PGPUB; USPAT; EPO; JPO

	Hits	Search Text
159	143	(@ad<"20010430" @pd<"20010430") and (adverti?\$6.ab. adverti?\$6.ti.) and ((rate cost\$6 charg\$6 pric\$6) near (adjust\$6 adapt\$6 reduc\$6 calc\$6 calculat\$6 readjust\$6 dynami\$6 discoun\$6 lower\$6 chang\$6 modify\$6 modifi\$6) same (succes\$6 effect\$6 effectiv\$6 perform\$6 result\$6)) not S154
160	78	(@ad<"20010430" @pd<"20010430") and (adverti?\$6.ab. adverti?\$6.ti.) and ((rate cost\$6 charg\$6 pric\$6) near (adjust\$6 adapt\$6 reduc\$6 calc\$6 calculat\$6 readjust\$6 dynami\$6 discoun\$6 lower\$6 chang\$6 modify\$6 modifi\$6) with (succes\$6 effect\$6 effectiv\$6 perform\$6 result\$6)) not S154
161	41	(@ad<"20010430" @pd<"20010430" @rlad<"20010430") and (adverti?\$6 with (without near2 charg\$6))
162	1	"20010056369".pn.
163	1	"20010056369".pn. and disco\$7

	DBs
159	US-PGPUB; USPAT; EPO; JPO
160	US-PGPUB; USPAT; EPO; JPO
161	US-PGPUB; USPAT; EPO; JPO
11 b Z	US-PGPUB; USPAT; EPO
163	US-PGPUB; USPAT; EPO

	Hits	Search Text
164	1478	(banner impression) with (charg\$6)

	DBs
	US-PGPUB;
	USPAT; USOCR;
164	EPO; JPO;
	DERWENT;
	IBM TDB